

Nitrogen

Please ensure that this SDS is received by the appropriate persons

Review Date: 29/7/2022 ver1

Emergency: 0860 02 02 02

Document Number: AFX-SDS-0022

1. PRODUCT	AND COMPANY IDENTIFICATION
Product	Nitrogen
Synonym	Nitrogen
Chemical Formula	N ₂
Trade Name	Technical Nitrogen
	Baseline Nitrogen
	Nitrogen Pharma Grade
	Nitrogen PCC
Colour Coding	Grey with black shoulder
Product Code	42-SE
	511203-SE-C
	511206-SE-A
•	511201-PA-N
Company Identification	African Oxygen Limited
Identification	Grayston Office Park Building 7
	128 Peter Road Sandown, Sandton,
	2196
	Tel. No: (011) 490-0400
	Fax No: (011) 490-0530
	Email:
	customer.service@afrox.linde.com
	www.afrox.com
Emergency Numbers	0860 02 02 02 (Afrox)

2. HAZARD IDENTIFICATION

2. HAZARDII	RDIDENTIFICATION		
Classification	- Classification under South African Hazardous Chemical Substances Regulations subsequently amended. (HCS)		
	-Classification under the Globally Harmonized System of classification and labelling of chemicals (GHS)		
Emergency Overview	Colour: None Odour: None Taste: None Physical State: Compressed Gas Form: Gas under pressure		
	 All cylinders are portable gas containers and must be regarded as pressure vessels at all times. Nitrogen does not support life. 		
Adverse Health Effects	- Asphixiant		
Chemical Hazards	- Asphyxiant.		
Biological Hazards	- The greatest physiological effect of Nitrogen is to cause asphyxiation.		
Vapour Inhalation	- Asphyxiation		
GHS Classification	- Gas under pressure		
GHS Pictogram	\diamond		

GHS Signal Words	Warning
GHS Hazard Statements	- H280: Contains gas under pressure, may explode if heated
GHS Precautionary Statements	Storage: - P403 : Store in a well-ventilated place. Prevention: - P280 : Wear protective gloves/eye protection/face protection. Response: - None Disposal - None
Other Hazards that do not result in classification	- Contains gas under pressure; may explode if heated. May displace oxygen and cause rapid suffocation.

3. COMPOSITION OF INGREDIENTS		
Chemical name	Nitrogen	
Chemical family	Nitrogen	
CAS No	7727-37-9	
UN No	1066 (gas)	
	1977 (liquid)	
ERG No	121 (gas)	
	120 (liquid)	
Hazard class	Class 2.1	
Hazchem Warning	Compressed gas	

4. FIRST AID MEASURES			
Eye contact	 The liquid may cause frostbite Rinse the eye with water immediately. Remove contact lenses, if present and easy to do. Continue rinsing. Flush thoroughly with water for at least 15 minutes. Get immediate medical assistance. If medical assistance is not immediately available, flush an additional 15 minutes. 		
Skin Contact	 The liquid may cause frostbite. For exposure to liquid, immediately warm frostbite area with warm water not to exceed 41°C. Water temperature should be tolerable to normal skin. Maintain skin warming for at least 15 minutes or until normal colouring and sensation have returned to the affected area. In case of massive exposure, remove clothing while showering with warm water. Seek medical evaluation and treatment as soon as possible. 		
Ingestion	- Ingestion is not considered a potential route of exposure.		
Inhalation	 In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. 		



Nitrogen

Please ensure that this SDS is received by the appropriate persons

Review Date: 29/7/2022 ver1

Emergency: 0860 02 02 02

Document Number: AFX-SDS-0022

-	Remove victim to uncontaminated area wearing self-contained breathing apparatus.		temperature. Refer to supplier's handling instructions. The substance must be
5. FIRE-FIGH Suitable extinguishing media Unsuitable extinguishing media: Specific Hazards Special fire fighting procedures: Special protective equipment for firefighters: 6. ACCIDENT Personal precautions, protective equipment and emergency procedures:	Keep victim warm and rested. Seek medical attention. Apply artificial respiration if breathing stopped. Low concentrations of Nitrogen will not cause irritation . TING MEASURES Material will not burn. In case of fire in the surroundings: use appropriate extinguishing agent. None. Asphyxiant Liquid may cause cryogenic burns. In case of fire: Stop leak if safe to do so. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire. Exposed Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces a self-contained breathing apparatus FAL RELEASE MEASURES WARNING! Liquid and gas under pressure. Rapid release of gaseous Nitrogen through a pressure relief device (PRD) or valve can result is very cold and can cause frostbite. Evacuate area. Provide adequate ventilation. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. In an enclosed or non-ventilated space, a self-contained breathing apparatus must be used.	Conditions for safe storage, including any	handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eg. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps were supplied as soon as container is disconnected from equipment. Keep container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve guards or caps should be in place.
Precautions	 Prevent further leakage or spillage if safe to do so. Provide adequate ventilation. 	incompatibilities	feeding stuffs. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away

HANDLING AND STORAGE 7.

containment

and cleaning

up:

Safe Handling Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and

EXPOSURE CONTROLS AND PERSONAL 8. PROTECTION

-Not specified

from sources of heat and ignition. Keep

pressure containers away from

combustible material.

Occupational	
Exposure	
Hazards (HCS)	



Nitrogen

Please ensure that this SDS is received by the appropriate persons

Review Date: 29/7/2022 ver1

Emergency: 0860 02 02 02

Document Number: AFX-SDS-0022

Engineering Control Measures	 Engineering control measures are preferred to reduce exposures. General methods include mechanical ventilation, process or personal enclosure, and control of process conditions. Administrative controls and personal protective equipment may also be required. A Risk assessment should be conducted to evaluate the suitability of PPE to the task being performed
Personal Protection	- When allowed by a risk assessment Respiratory Protective Equipment (RPE) may be used. The selection of the Respiratory Protective Device (RPD) must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected RPD. Self-contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres.
Eyes	-Wear safety glasses
Hands	 Guideline: Protective gloves against mechanical risks. Additional Information: Wear working gloves while handling containers
Body protection:	-Wear leather apron when handling liquid containers
Feet	- Wear safety shoes while handling containers

9. PHYSICAL AND CHEMICAL PROPERTIES			
Chemical Name	<u>Nitrogen</u>		
Chemical Symbol	N ₂		
Physical state	Gas		
Form:	Gas		
Colour:	Colourless		
Odour:	Odourless		
Odour Threshold:	No odour		
pH:	No effect in water		
Melting Point:	-210 °C		
Boiling Point:	-196 °C		
Sublimation Point:	NA		
Critical Temp. (°C):	-147 °C		
Flash Point:	Not applicable		
Evaporation Rate:	Not applicable.		
Flammability (gas):	Non Flammable		
Flammability limit - upper (%):	NA		
Flammability limit - lower(%):	NA		
Vapour pressure:	Permanent gas		
Vapour density	1.185 @ 15°C		
Relative density: Air=1	0.97 @ 15 °C)		
Solubility(ies)			
Solubility in Water:	0.015 l/kg water 20°C		

Partition coefficient (n-octanol/water):	0.67
Autoignition Temperature:	Not applicable.
Decomposition Temperature:	Not known.
Viscosity	
Kinematic viscosity:	No data available.
Dynamic viscosity:	Not applicable
Explosive properties:	Not applicable
Oxidising Properties:	Not applicable
Molecular weight	28.014 g/mol

10. STABILITY AND REACTIVITY			
Reactivity	-Not reactive		
Chemical stability	- Stable under normal conditions.		
Possibility of hazardous reactions	- Gas under high pressure.		
Conditions to avoid	 Overheating of cylinders. Never use cylinders as rollers or supports; or for any other purpose than the storage of Nitrogen 		
Incompatible Materials	None		
Hazardous Decomposition of Products	Will not decompose		

	11.	TOXOL	OGICAL	INFORMATION
--	-----	-------	--------	-------------

Acute Toxicity	Non toxic		
Skin & eye contact	No adverse effect		
Chronic Toxicity	Based on available data, the		
	classification criteria are not met.		
Carcinogenicity	Based on available data, the		
	classification criteria are not met.		
Mutagenicity	Based on available data, the		
	classification criteria are not met.		
Reproductive Hazards	Based on available data, the		
	classification criteria are not met.		

12.	E	COLOGICA	L	INFC)R	M	41	ΓΙΟΝ
_								

Toxicity	No ecological damage caused by this product.
Persistence and degradability	Not applicable
Bioaccumulative Potential Product	No bio-accumulating hazard.
Mobility in soil	No hazard
Results of PBT and vPvB assessment	Not classified as persistent, bioaccumulating and toxic (PBT).
Other adverse effects	No ecological damage caused by this product.
Effect on ozone layer	None
Effect on the global warming (CO2=1)	0

13. DISPOSAL CONSIDERATIONS



Nitrogen

Please ensure that this SDS is received by the appropriate persons

Review Date: 29/7/2022 ver1

Emergency: 0860 02 02 02

Document Number: AFX-SDS-0022

Disposal	- Do not discharge into any place where its
Methods	accumulation could be dangerous. Vent to
	atmosphere in a well-ventilated place
Disposal of	- The container is the property of the supplier
Packaging	and the disposal of the containers must only
	be handled by the supplier.

14. TRANSPORT INFORMATION			
Road Transportation			
UN No.	1066 gas 1977 liquid		
Shipping Name	Nitrogen		
ERG No.	121 gas 120 liquid		
Class	2.1		
Subsidiary Risk	Risk Non- flammable, toxic gases		
Hazchem Warning Non-Toxic, non-flammable Gas			
Sea Transportation			
IMDG	1066 gas 1977 liquid		
Shipping Name	Nitrogen		
ERG No.	121 gas 120 liquid		
Class	2.1		
Subsidiary Risk	Ibsidiary Risk Non- flammable, toxic gases		
Label			
Air Transportation			
ICAO/IATA Code	1066 gas 1977 liquid		
Class	2.1		
Packing Group:	-		
Packaging	- Cargo: 150 kg		
instructions	- Passenger: 75 kg		

15. REGULATORY INFORMATION

EEC Hazard class: non-Toxic, non-Corrosive gas. National legislation OHSact and Regulations 85 of 1993.

SANS 11014:2010 Edition 1	Safety data sheet for chemical products - Content and order of sections
SANS 10228:2012 Edition 6	The identification and classification of dangerous goods for transport by road and rail modes
SANS 10234:2019 Edition 2	Globally Harmonized System of classification and labelling of chemicals (GHS)
SUPPLEMENT TO SANS 10234 Edition 1	List of classification and labelling of chemicals in accordance with the Globally Harmonized System (GHS)

16. OTHER INFORMATION

- Ensure all national/local regulations are observed.

- Ensure users and relevant persons understand the asphyxiation hazard
- Regularly check supplier's information sources for updated versions of SDS's

Revision Date

18/07/2022 v01

Bibliography

Compressed Gas Association, Arlington, Virginia Handbook of Compressed Gases - 3rd Edition Matheson Gas Data Book - 6th Edition SANS 11014 - Safety data sheet for chemical products: Content and order of sections SANS 10234 - List of classification and labelling of chemicals in accordance with the Globally Harmonized System (GHS) SANS 10265 – Classification and Labelling of Dangerous Substances

EXCLUSION OF LIABILITY

Whilst AFROX made best endeavour to ensure that the information contained in this publication is accurate at the date of publication, AFROX does not accept liability for an inaccuracy or liability arising from the use of this information, or the use, application, adaptation or process of any products described herein.