

Please ensure that this SDS is received by the appropriate persons

Review Date: 25/07/2022 v01 Emergency: 0860 02 02 02 Document Number: AFX-SDS-0025

4 DDODUOT	AND COMPANY IDENTIFICATION	
	AND COMPANY IDENTIFICATION	
Product	Hydrogen	
Synonym	Hydrogen	
Chemical Formula	H ₂	
Trade Name	Hydrogen Technical / MCP N2.5 Hydrogen Baseline N5.0	
Colour Coding	Red	
Product Code	54-SH / 54-MH15	
	510203-SH-C / 510203-MH-C	
Company	African Oxygen Limited	
Identification	Grayston Office Park Building 7	
	128 Peter Road Sandown, Sandton,	
	2196	
	Tel. No: (011) 490-0400	
	Fax No: (011) 490-0530	
	Email:	
	customer.service@afrox.linde.com	
	www.afrox.com	
Emergency Numbers	0860 02 02 02 (Afrox)	

2. HAZARD II	DENTIFICATION
Classification	- Classification under South African Hazardous Chemical Substances Regulations subsequently amended. (HCS) - FLAMMABLE GASES - Category 1 GASES UNDER PRESSURE - Compressed gas)
Emergency Overview	Colour: None Odour: None Taste: None Physical State: Compressed Gas Form: Gas under pressure Extremely flammable
	- All cylinders are portable gas containers and must be regarded as pressure vessels at all times Hydrogen does not support life.
Adverse Health Effects	- Asphyxiant
Chemical Hazards	- Flammable
Biological Hazards	- The greatest physiological effect of Hydrogen is to cause asphyxiation.
Vapour Inhalation	- Asphyxiation
GHS Classification	- Gas under pressure
GHS Pictogram	
GHS Signal Words	Danger

GHS Hazard	- Extremely flammable gas.
Statements	- Contains gas under pressure; may explode if heated.
	May displace oxygen and cause rapid
	suffocation. Burns with invisible flame. May
	form explosive mixtures with air.
GHS	Storage:
Precautionary	- P403 : Store in a well-ventilated place.
Statements	Prevention:
	- P280 : Wear protective gloves/eye
	protection/face protection.
	Response:
	- None
	Disposal
	- None
Other Hazards	- Asphyxiant in high concentrations
that do not	
result in	
classification	

3. COMPOSITION OF INGREDIENTS		
Chemical name Hydrogen		
Chemical family	Hydrogen	
CAS No	1333-74-0	
UN No	1001 (gas)	
ERG No	116	
Hazard class	Class 2.1	
Hazchem Warning	Compressed gas	

4. FIRST All	D MEASURES		
Eye contact	- Seek medical attention		
Skin Contact	 In case of massive exposure, remove clothing while showering with warm water. Seek medical evaluation and treatment as soon as possible. 		
Ingestion	- Ingestion is not considered a potential route of exposure.		
Inhalation	 In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self-contained breathing apparatus. 		
	-Keep victim warm and rested. Seek medical attention. Apply artificial respiration if breathing stopped		

5. FIRE-FIGH	HTING MEASURES	
Suitable extinguishing media	- Material will burn. In case of fire in the surroundings: use appropriate extinguishing agent.	
Unsuitable extinguishing media:	- None	
Specific Hazards	- Extremely flammable gas. Contains gas under pressure; may explode if heated	
Special fire fighting procedures:	- In case of fire: Stop leak if safe to do so. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire.	



Please ensure that this SDS is received by the appropriate persons

Review Date: 25/07/2022 v01 Emergency: 0860 02 02 02 Document Number: AFX-SDS-0025

Special protective equipment for firefighters:

- Exposed Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces a self-contained breathing apparatus

6	ACCIDEN	ΙΔΤΙ	RFI FA	SF I	MFAS	URFS
υ.	AUUIDEI	1176		$\neg \cup \square$ \square	VILAU	

Personal precautions, protective equipment and emergency procedures:

- WARNING! Gas under pressure. Rapid release of gaseous Hydrogen through a pressure relief device (PRD) or valve can result in a rise of pressure (Inverse Joule Thompson effect).
- Evacuate area.
- Provide adequate ventilation.
- Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.
- In an enclosed or non-ventilated space, a self-contained breathing apparatus must be used

Environmental Precautions

 Prevent further leakage or spillage if safe to do so

Methods and material for containment and cleaning up: - Provide adequate ventilation. This gas is lighter than air and will accumulate against the ceiling of the building.

7. HANDLING AND STORAGE

Safe Handling

Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eg. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container

has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps were supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from contaminants particularly oil and water. If user experiences any difficulty operating container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve guards or caps should be in place.

Conditions for safe storage, including any incompatibili ties -Containers should not be stored in conditions likely to encourage corrosion. Keep away from food, drink and animal feeding stuffs. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep pressure containers away from combustible material.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupationa I Exposure Hazards (HCS)

-Not specified

Engineering Control Measures Engineering control measures are preferred to reduce exposures.

General methods include mechanical ventilation, process or personal enclosure, and control of process conditions.

Administrative controls and personal protective equipment may also be required.

A Risk assessment should be conducted to evaluate the suitability of PPE to the task being performed

Personal Protection

When allowed by a risk assessment
Respiratory Protective Equipment (RPE)
may be used. The selection of the
Respiratory Protective Device (RPD) must
be based on known or anticipated exposure
levels, the hazards of the product and the
safe working limits of the selected RPD. Selfcontained breathing apparatus (SCBA) or
positive pressure airline with mask are to be
used in oxygen-deficient atmospheres

- Wear safety glasses

Eyes



Please ensure that this SDS is received by the appropriate persons

Review Date: 25/07/2022 v01 Emergency: 0860 02 02 02 Document Number: AFX-SDS-0025

Hands	-Guideline: Protective gloves against mechanical risks Additional Information: Wear working gloves while handling containers
Body protection:	- Fire proof overall - Anti-static materials for clothes
Feet	Wear safety shoes while handling containers.Anti-static safety boots

9. PHYSICAL AND CHEMICA	L PROPERTIES
Chemical Name	<u>Hydrogen</u>
Chemical Symbol	H ₂
Physical state	Gas
Form:	Gas
Colour:	Colourless
Odour:	Odourless
Odour Threshold:	Not applicable
pH:	No effect in water
Melting Point:	-259.15°C
Boiling Point:	-253°C
Sublimation Point:	NA
Critical Temp. (°C):	-240.15°C
Flash Point:	NA
Evaporation Rate:	Not applicable.
Flammability (gas):	Extremely Flammable
Flammability limit - (%):	-Lower: 4.0%
Flammability limit - (%):	-Upper: 76%
Vapour pressure:	NA
Vapour density (air=1)	0.0783@ 20°C
Gas density:	0.0837@20°C
Solubility(ies)	
Solubility in Water:	0.0182l/kg water @1 bar
Partition coefficient (n-octanol/water):	Not known
Autoignition Temperature:	500 to 571°C
Decomposition Temperature:	Not known.
Viscosity	
Kinematic viscosity:	No data available.
Dynamic viscosity:	Not applicable
Explosive properties:	Explosive in air
Oxidising Properties:	Not applicable
Molecular weight	2.016 g/mole

10. STABILITY	AND REACTIVITY	
Reactivity	-Extremely flammable	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	- Extremely flammable and explosive	
Conditions to avoid	- Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.	

Incompatible Materials	Oxidizers
Hazardous Decomposition of Products	Will not produce any hazardous products.

11. TOXOLOGICAL INFORMATION		
Acute Toxicity	Not available	
Skin & eye contact	Not available	
Chronic Toxicity	Not available	
Carcinogenicity	Not available	
Mutagenicity	Not available	
Reproductive Hazards	Not available	

12. ECOLOGICAL INFORMATION		
Toxicity	Not available	
Persistence and degradability	Not available	
Bioaccumulative Potential Product	Not available	
Mobility in soil	Not available	
Results of PBT and vPvB assessment	Not available	
Other adverse effects	Not available	
Effect on ozone layer	Not available	
Effect on the global warming (CO2=1)	Not available	

13. DISPOSAL CONSIDERATIONS		
Disposal	- Do not discharge into any place where its	
Methods	accumulation could be dangerous. Vent to atmosphere in a well-ventilated place	
Disposal of	- The container is the property of the supplier,	
Packaging	and the disposal of the containers must only	
	be handled by the supplier.	

14. TRANSPORT	INFORMATION	
Road Transportation		
UN No.	1049	
Shipping Name	Hydrogen	
ERG No.	115	
Class	2.1	
Subsidiary Risk	Flammable, Explosive	
Hazchem Warning	Flammable Gas	
Sea Transportation		
IMDG	1049	
Shipping Name	Hydrogen	
ERG No.	115	
Class	2.1	
Subsidiary Risk	Flammable	
Label	Flammable Gas	
Air Transportation		
ICAO/IATA Code	1049	
Class	2.1	



Please ensure that this SDS is received by the appropriate persons

Review Date: 25/07/2022 v01 Emergency: 0860 02 02 02 Document Number: AFX-SDS-0025

Packing Group:	NA
Packaging	- Cargo: 150kg
instructions	- Passenger: not allowed

15. REGULATORY INFORMATION		
EEC Hazard class: Toxic, Corrosive gas. National legislation OHSact and Regulations 85 of 1993.		
SANS 11014:2010 Edition 1	Safety data sheet for chemical products - Content and order of sections	
SANS 10228:2012 Edition 6	The identification and classification of dangerous goods for transport by road and rail modes	
SANS 10234:2019 Edition 2	Globally Harmonized System of classification and labelling of chemicals (GHS)	
SUPPLEMENT TO SANS 10234 Edition 1	List of classification and labelling of chemicals in accordance with the Globally Harmonized System (GHS)	

16. OTHER INFORMATION

- Ensure all national/local regulations are observed.
- Ensure users and relevant persons understand the flammable and explosive hazard
- Regularly check supplier's information sources for updated versions of SDS's

Revision Date 25/07/2022 v01

Bibliography

Substances

Compressed Gas Association, Arlington, Virginia
Handbook of Compressed Gases - 3rd Edition
Matheson Gas Data Book - 6th Edition
SANS 11014 - Safety data sheet for chemical products:
Content and order of sections
SANS 10234 - List of classification and labelling of chemicals in accordance with the Globally Harmonized System (GHS)
SANS 10265 - Classification and Labelling of Dangerous

EXCLUSION OF LIABILITY

Whilst AFROX made best endeavour to ensure that the information contained in this publication is accurate at the date of publication, AFROX does not accept liability for an inaccuracy or liability arising from the use of this information, or the use, application, adaptation or process of any products described herein.