

Suremix N

# Please ensure that this SDS is received by the appropriate persons

Review Date: 27/09/2022

Emergency: 0860 02 02 02

Document Number: AFX-SDS-0167

1. PRODUCT	. PRODUCT AND COMPANY IDENTIFICATION	
Product	Suremix N	
Synonym	Suremix N	
Chemical Formula	N <sub>2</sub>	
Trade Name	Suremix N small	
	Suremix N Large	
Colour Coding	Cream cylinder with grey shoulder and	
	cream valve guard	
Product Code	567-IE	
-	567-SE	
Company	African Oxygen (PTY) Limited	
Identification	Grayston Office Park Building 7	
	128 Peter Road Sandown, Sandton,	
	2196	
	Tel. No: (011) 490-0400	
	Fax No: (011) 490-0530	
	Email:	
	customer.service@afrox.linde.com	
	www.afrox.com	
Emergency Numbers	0860 02 02 02 (Afrox)	

## 2. HAZARD IDENTIFICATION

Z. HAZARD IDENTIFICATION		
Classification	- Classification under South African Hazardous Chemical Substances Regulations subsequently amended. (HCS)	
	-Classification under the Globally Harmonized System of classification and labelling of chemicals (GHS)	
Emergency Overview	Colour: None Odour: None Taste: None Physical State: Compressed Gas Form: Gas under pressure	
	<ul> <li>All cylinders are portable gas containers and must be regarded as pressure vessels at all times.</li> <li>Suremix N does not support life.</li> </ul>	
Adverse Health Effects	- Asphixiant	
Chemical Hazards	- Asphyxiant.	
Biological Hazards	<ul> <li>The greatest physiological effect of Suremix N is to cause asphyxiation.</li> </ul>	
Vapour Inhalation	- Asphyxiation	
GHS Classification	- Gas under pressure	
GHS Pictogram	$\diamond$	
GHS Signal Words	Warning	
GHS Hazard Statements	- H280: Contains gas under pressure, may explode if heated	

GHS Precautionary Statements Other Hazards that do not result in classification	Storage:         - P403 : Store in a well-ventilated place.         Prevention:         - P280 : Wear protective gloves/eye protection/face protection.         Response:         - None         Disposal         - None         - Contains gas under pressure; may explode if heated. May displace oxygen and cause rapid suffocation.	
Classification		
3. COMPOS	ITION OF INGREDIENTS	
Chemical name		
Chemical fami	•	
CAS No	7727-37-9	
UN No	1066 (gas)	
EDC No	1977 (liquid)	
ERG No	121 (gas) 120 (liquid)	
Hazard class	Class 2.1	
Hazchem Warr		
4. FIRST AI	D MEASURES	
Eye contact	<ul> <li>The liquid may cause frostbite</li> <li>Rinse the eye with water immediately.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>Flush thoroughly with water for at least 15 minutes.</li> <li>Get immediate medical assistance. If medical assistance is not immediately available, flush an additional 15 minutes.</li> <li>The liquid may cause frostbite.</li> <li>For exposure to liquid, immediately warm frostbite area with warm water not to exceed 41°C. Water temperature should be tolerable to normal skin.</li> <li>Maintain skin warming for at least 15 minutes or until normal colouring and sensation have returned to the affected area.</li> <li>In case of massive exposure, remove clothing while showering with warm water. Seek medical evaluation and treatment as soon as possible.</li> </ul>	
Ingestion	<ul> <li>Ingestion is not considered a potential route of exposure.</li> <li>In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation.</li> <li>Remove victim to uncontaminated area wearing self-contained breathing apparatus.</li> <li>Keep victim warm and rested. Seek medical attention. Apply artificial respiration</li> </ul>	



Suremix N

### Please ensure that this SDS is received by the appropriate persons

Review Date: 27/09/2022

Emergency: 0860 02 02 02

Document Number: AFX-SDS-0167

provided by the supplier for the identification

	-Low concentrations of Suremix N will not cause irritation.
5. FIRE-	FIGHTING MEASURES
Suitable extinguishing media Unsuitable extinguishing media:	<ul> <li>Material will not burn. In case of fire in the surroundings: use appropriate extinguishing agent.</li> <li>None.</li> </ul>
Specific Hazards	- Asphyxiant - Liquid may cause cryogenic burns.
Special fire fighting procedures:	- In case of fire: Stop leak if safe to do so. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire.
Special protective equipment for firefighters:	<ul> <li>Exposed Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces a self-contained breathing apparatus</li> </ul>
6. ACCIDEN	TAL RELEASE MEASURES
Personal precautions, protective equipment and	- WARNING! Liquid and gas under pressure. Rapid release of gaseous Suremix N through a pressure relief device (PRD) or valve can result is very cold and can cause frostbite.
emergency procedures:	<ul> <li>Evacuate area.</li> <li>Provide adequate ventilation.</li> <li>Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.</li> <li>In an enclosed or non-ventilated space, a self-contained breathing apparatus must be used.</li> </ul>
Environmental Precautions	- Prevent further leakage or spillage if safe to do so.
Methods and material for containment and cleaning up:	- Provide adequate ventilation.

## 7. HANDLING AND STORAGE

Safe Handling	persons should handle gases under	
	pressure. Use only properly specified equipment which is suitable for this product,	
	its supply pressure and temperature. Refer	
	to supplier's handling instructions. The	
	substance must be handled in accordance	
	with good industrial hygiene and safety	
	procedures. Protect containers from	
	physical damage; do not drag, roll, slide or drop. Do not remove or deface labels	

	provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eg. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps were supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from contaminants particularly oil and water. If user experiences any difficulty operating container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container
Conditions	valve guards or caps should be in place. -Containers should not be stored in
for safe storage, including any incompatibilit ies	conditions likely to encourage corrosion. Keep away from food, drink and animal feeding stuffs. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep pressure containers away from combustible material.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational Exposure Hazards (HCS)	-Not specified
Engineering Control Measures	<ul> <li>Engineering control measures are preferred to reduce exposures.</li> <li>General methods include mechanical ventilation, process or personal enclosure, and control of process conditions.</li> <li>Administrative controls and personal protective equipment may also be required.</li> </ul>



Suremix N

## Please ensure that this SDS is received by the appropriate persons

#### Review Date: 27/09/2022

Emergency: 0860 02 02 02

Document Number: AFX-SDS-0167

	A Risk assessment should be conducted to evaluate the suitability of PPE to the task being performed	
Personal Protection	- When allowed by a risk assessment Respiratory Protective Equipment (RPE) may be used. The selection of the Respiratory Protective Device (RPD) must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected RPD. Self-contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres.	
Eyes	-Wear safety glasses	
Hands -Guideline: Protective gloves against mechanical risks. -Additional Information: Wear working gloves while handling containers		
<b>.</b>		
Body protection:	-Wear leather apron when handling liquid containers	
Feet	<ul> <li>Wear safety shoes while handling containers</li> </ul>	

9. PHYSICAL AND CHEMICAL PROPERTIES	
Chemical Name	Suremix N
Chemical Symbol	N <sub>2</sub>
Physical state	Gas
Form:	Gas
Colour:	Colourless
Odour:	Odourless
Odour Threshold:	No odour
pH:	No effect in water
Melting Point:	-210 °C
Boiling Point:	-196 °C
Sublimation Point:	Not applicable
Critical Temp. (°C):	-147 °C
Flash Point:	Not applicable
Evaporation Rate:	Not applicable.
Flammability ( gas):	Non-Flammable
Flammability limit - upper (%):	Not applicable
Flammability limit - lower(%):	Not applicable
Vapour pressure:	Permanent gas
Vapour density	1.16 @ 20°C
Relative density: Air=1	0.95 @ 20 °C)
Solubility(ies)	
Solubility in Water:	0.015 l/kg water 20°C
Partition coefficient (n- octanol/water):	0.67
Autoignition Temperature:	Not applicable
Decomposition Temperature:	Not known
Viscosity	
Kinematic viscosity:	No data available
Dynamic viscosity:	Not applicable
Explosive properties:	Not applicable

Oxidising Properties:	Not applicable
Molecular weight	28.014 g/mol

<b>10. STABILITY</b>	10. STABILITY AND REACTIVITY		
Reactivity	Not reactive		
Chemical stability	Stable under normal conditions.		
Possibility of hazardous reactions	Gas under high pressure.		
Conditions to avoid	Overheating of cylinders. Never use cylinders as rollers or supports; or for any other purpose than the storage of Suremix N		
Incompatible Materials	None		
Hazardous Decomposition of Products	Will not decompose		

11. TOXOLOGICAL INFORMATION	
Acute Toxicity	Non toxic
Skin & eye contact	No adverse effect
Chronic Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Mutagenicity	Based on available data, the classification criteria are not met.
Reproductive Hazards	Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION		
Toxicity	No ecological damage caused by this product.	
Persistence and degradability	Not applicable	
Bioaccumulative Potential Product	No bio-accumulating hazard.	
Mobility in soil	No hazard	
Results of PBT and vPvB assessment	Not classified as persistent, bioaccumulating and toxic (PBT).	
Other adverse effects	No ecological damage caused by this product.	
Effect on ozone layer	None	
Effect on the global warming (CO2=1)	0	

13. DISPOSAL CONSIDERATIONS		
Disposal Methods	<ul> <li>Do not discharge into any place where its accumulation could be dangerous. Vent to atmosphere in a well-ventilated place.</li> </ul>	
Disposal of Packaging	<ul> <li>The container is the property of the supplier, and the disposal of the containers must only be handled by the supplier.</li> </ul>	



Suremix N

#### Please ensure that this SDS is received by the appropriate persons

Review Date: 27/09/2022

Emergency: 0860 02 02 02

Document Number: AFX-SDS-0167

14. TRANSPORT INFORMATION		
Road Transportation		
UN No.	1066 gas 1977 liquid	
Shipping Name	Suremix N	
ERG No.	121 gas 120 liquid	
Class	2.1	
Subsidiary Risk	Non- flammable, non-toxic gases	
Hazchem Warning	Non-Toxic, non-flammable Gas	
Sea Transportation		
IMDG	1066 gas 1977 liquid	
Shipping Name	Suremix N	
ERG No.	121 gas 120 liquid	
Class	2.1	
Subsidiary Risk	Non- flammable, non-toxic gases	
Label	Non-Toxic non-flammable Gas	
Air Transportation		
ICAO/IATA Code	1066 gas 1977 liquid	
Class	2.1	
Packing Group:	-	
Packaging	- Cargo: 150 kg	
instructions	- Passenger: 75 kg	

#### **15. REGULATORY INFORMATION**

EEC Hazard class: non-Toxic, non-Corrosive gas. National legislation OHSact and Regulations 85 of 1993.

SANS 11014:2010	Safety data sheet for chemical products
Edition 1	- Content and order of sections
SANS 10228:2012 Edition 6	The identification and classification of dangerous goods for transport by road and rail modes
SANS 10234:2019 Edition 2	Globally Harmonized System of classification and labelling of chemicals (GHS)
SUPPLEMENT TO	List of classification and labelling
SANS 10234	of chemicals in accordance with the
Edition 1	Globally Harmonized System (GHS)

### **16. OTHER INFORMATION**

	Ensure all national/local regulations are observed.		
	- Ensure users and relevant persons understand the asphyxiation		
	hazard		
	<ul> <li>Regularly check supplier's information sources for updated versions of SDS's</li> </ul>		
	Revision Date	27/9/2022 v01	

#### Bibliography

Compressed Gas Association, Arlington, Virginia Handbook of Compressed Gases - 3rd Edition Matheson Gas Data Book - 6th Edition SANS 11014 - Safety data sheet for chemical products: Content and order of sections SANS 10234 - List of classification and labelling of chemicals in accordance with the Globally Harmonized System (GHS) SANS 10265 – Classification and Labelling of Dangerous Substances

#### **EXCLUSION OF LIABILITY**

Whilst AFROX made best endeavour to ensure that the information contained in this publication is accurate at the date of publication, AFROX does not accept liability for an inaccuracy or liability arising from the use of this information, or the use, application, adaptation or process of any products described herein.