

Entonox

Please ensure that this SDS is received by the appropriate persons

Review Date: 28/9/2022 v01

Emergency: 0860 02 02 02

Document Number: AFX-SDS-0030

1. PRODUCT AND COMPANY IDENTIFICATION	
Product	Entonox
Synonym	Entonox,
Chemical	N ₂ O
Formula	O ₂
Trade Name	Entonox 0.79 Kg
	Entonox 3.07 Kg
	Entonox 7.70 Kg
	Entonox 15.4 Kg
Colour Coding	Blue body with quartered white and
	blue shoulder
Product Code	211-CB-PI
	211-HB-PI
	211-KB-PI
Company	211-RC-PI
Company Identification	African Entonox Limited
Identification	Grayston Office Park Building 7
	128 Peter Road Sandown, Sandton,
	2196
	Tel. No: (011) 490-0400
	Fax No: (011) 490-0530
	Email:
	customer.service@afrox.linde.com
	www.afrox.com
Emergency Numbers	0860 02 02 02 (Afrox)

2. HAZARD IDENTIFICATION Classification - Classification under South African Hazardous Chemical Substances Regulations subsequently amended. (HČS) -Classification under the Globally Harmonized System of classification and labelling of chemicals (GHS) Emergency Colour: None Odour: Slight sweet odour Overview Taste: None Physical State: Compressed Gas Form: Gas under pressure - All cylinders are portable gas containers and must be regarded as pressure vessels at all times. **Adverse Health** - Adverse symptoms may include the Effects following:, nausea or vomiting, headache, drowsiness/fatigue, dizziness/vertigo, unconsciousness Chemical Oxidising gas Hazards Biological - None. Hazards Vapour Can cause central nervous system Inhalation (CNS) depression. May cause drowsiness or dizziness. GHS - Oxidizing gases Classification - Gas under pressure

GHS Pictogram	0 1	
GHS Signal Words	Danger	
GHS Hazard Statements	May cause or intensify fire; oxidizer. Contains gas under pressure; may explode if heated.	
GHS Precautionary Statements	explode if heated. Storage: - P403 : Store in a well-ventilated place. Prevention: - P280 : Wear protective gloves/eye protection/face protection. Response: - None Disposal - None	
Other Hazards that do not result in classification	- Asphyxiant in high concentrations	

3. COMPOSITION OF INGREDIENTS		
Chemical name	Nitric Oxide	
Chemical family	Nitric Oxide	
CAS No	10024-97-2	
UN No	1070 (gas)	
ERG No	122 (gas)	
Hazard class	Class 2.2	
Hazchem Warning	May cause or intensify fire; oxidizer.	
	Contains gas under pressure; may	
	explode if heated.	
Chemical name Chemical family	Oxygen	
CAS No	7782-44-7	
UN No	1072	
ERG No	122	
Hazard class	Hazard class 2.2	
Hazchem Warning	May cause or intensify fire; oxidizer.	
	Contains gas under pressure; may	
	explode if heated.	

4. FIRST AID MEASURES

Eye contact	- No known effect.
Skin Contact	The liquid may cause frostbite. - For exposure to liquid, immediately warm frostbite area with warm water not to exceed 41°C. Water temperature should be tolerable to normal skin. - Maintain skin warming for at least 15 minutes or until normal colouring and sensation have returned to the affected area. - In case of massive exposure, remove clothing while showering with warm water. Seek medical evaluation and treatment as soon as possible.
Ingestion	 Ingestion is not considered a potential route of exposure.



Entonox

Please ensure that this SDS is received by the appropriate persons

Review Date: 28/9/2022 v01

Emergency: 0860 02 02 02

Document Number: AFX-SDS-0030

mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to- mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media	 Material will not burn but as an oxidiser it will support the fire vigorously. In case of fire in the surroundings: use appropriate extinguishing agent. 	
Unsuitable extinguishing media:	- None.	
Specific Hazards	- May cause or intensify fire; oxidizer. Contains gas under pressure; may explode if heated.	
Special fire fighting procedures:	- In case of fire: Stop leak if safe to do so. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire.	
Special protective equipment for firefighters:	- Exposed Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces a self-contained breathing apparatus.	

6. ACCIDENTAL RELEASE MEASURES Personal - WARNING! Liquid and gas under precautions, pressure. Rapid release of gaseous protective Entonox through a pressure relief device equipment (PRD) or valve can result is very cold and and can cause frostbite. emergency procedures: - Evacuate area. - Provide adequate ventilation. - Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. In an enclosed or non-ventilated space, a self-contained breathing apparatus must be used.

Environmental Precautions	- Prevent further leakage or spillage if safe to do so.
Methods and material for containment and cleaning up:	- Provide adequate ventilation.

7. HANDLING AND STORAGE

	G AND STORAGE
Safe Handling	-Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eg. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container is disconnected from equipment. Keep container valve discontinue use and container is disconnected from equipment. Keep container valve discontinue use and contaiter is disconnected from equipment. Keep container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container
Conditions	valve guards or caps should be in place.
for safe storage, including any	-Containers should not be stored in conditions likely to encourage corrosion. Keep away from food, drink and animal
	feeding stuffs. Stored containers should be periodically checked for general conditions



Entonox

Please ensure that this SDS is received by the appropriate persons

Review Date: 28/9/2022 v01

Emergency: 0860 02 02 02

Document Number: AFX-SDS-0030

incompatibilit ies	and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away
	from sources of heat and ignition. Keep pressure containers away from combustible material.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational Exposure Hazards (HCS)	-Not specified
Engineering Control Measures	 Engineering control measures are preferred to reduce exposures. General methods include mechanical ventilation, process or personal enclosure, and control of process conditions. Administrative controls and personal protective equipment may also be required. A Risk assessment should be conducted to evaluate the suitability of PPE to the task being performed
Personal Protection	- When allowed by a risk assessment Respiratory Protective Equipment (RPE) may be used. The selection of the Respiratory Protective Device (RPD) must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected RPD
Eyes	- Wear safety glasses
Hands	 Guideline: Protective gloves against mechanical risks. Additional Information: Wear working gloves while handling containers
Body protection:	-Wear leather apron when handling liquid containers.
Feet	- Wear safety shoes while handling containers

9. PHYSICAL AND CHEMICAL PROPERTIES	
Chemical Name	<u>Entonox</u>
Chemical Symbol	N ₂ O, O ₂
Physical state	Gas
Form:	Gas
Colour:	Colourless
Odour:	Odourless
Odour Threshold:	Odour threshold is subjective and is inadequate to warn of over-exposure.
pH:	No effect in water
Melting Point:	Not known
Boiling Point:	Not known

Sublimation Point:	Not known
Critical Temp. (°C):	Not known
Flash Point:	Not applicable
Evaporation Rate:	Not applicable.
Flammability (gas):	Supports fire
Flammability limit - upper (%):	Not applicable
Flammability limit - lower(%):	Not applicable-
Vapour pressure:	Permanent gas
Vapour density	1.575 @ 20°C
Relative density:	1.313 @ 20 °C)
Solubility(ies)	
Solubility in Water:	0.51 l/kg water 20°C
Partition coefficient (n- octanol/water):	0.36
Autoignition Temperature:	Not applicable.
Decomposition Temperature:	Not known.
Viscosity	
Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available
Explosive properties:	Not applicable
Oxidising Properties:	Strong oxidiser
Molecular weight	38.01 g/mol

10. STABILITY AND REACTIVITY

Reactivity	Strong oxidiser
Chemical stability	- Stable under normal conditions.
Possibility of hazardous reactions	- Gas under high pressure. Accumulate in low lying areas.
Conditions to avoid	- Overheating of cylinders. Never use cylinders as rollers or supports; or for any other purpose than the storage of Entonox
Incompatible Materials	Oxidisable material
Hazardous Decomposition of Products	Will decompose at high temperature.

11. TOXOLOGICAL INFORMATION

Acute Toxicity	Non-toxic
Skin & eye contact	No adverse effect
Chronic Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Mutagenicity	Based on available data, the classification criteria are not met.
Reproductive Hazards	Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Toxicity	No ecological damage caused by this product.
Persistence and degradability	Not applicable to gases and gas mixtures.



Entonox

Please ensure that this SDS is received by the appropriate persons

Review Date: 28/9/2022 v01

Emergency: 0860 02 02 02

Document Number: AFX-SDS-0030

Bio- accumulative Potential Product	No bio-accumulating hazard.
Mobility in soil	No hazard
Results of PBT and vPvB assessment	Not classified as persistent, bio- accumulating and toxic (PBT).
Other adverse effects	No ecological damage caused by this product.
Effect on ozone layer	None
Effect on the global warming $CO_2 = 1$	GWP = 135

13. DISPOSAL CONSIDERATIONS	
Disposal	- Do not discharge into any place where its
Methods	accumulation could be dangerous. Vent to
	atmosphere in a well-ventilated place
Disposal of	- The container is the property of the
Packaging	supplier and the disposal of the containers
	must only be handled by the supplier.

14. TRANSPORT INFORMATION	
Road Transportation	
UN No.	3156
Shipping Name	Entonox
ERG No.	122
Class	2.1
Subsidiary Risk	Oxidizer
Hazchem Warning	Oxidizer
Sea Transportation	
IMDG	3156
Shipping Name	Entonox
ERG No.	122
Class	2.1
Subsidiary Risk	Oxidiser
Label	Danger
Air Transportation	
ICAO/IATA Code	3156
Class	2.1
Packing Group:	-
Packaging	- Cargo: Forbidden
instructions	- Passenger:Forbidden
	-

15. REGULATORY INFORMATION

EEC Hazard class: Oxidiser. National legislation OHSact and Regulations 85 of 1993.

SANS 11014:2010 Edition 1	Safety data sheet for chemical products - Content and order of sections
SANS 10228:2012 Edition 6	The identification and classification of dangerous goods for transport by road and rail modes
SANS 10234:2019 Edition 2	Globally Harmonized System of classification and labelling of chemicals (GHS)

SUPPLEMENT TO SANS 10234	List of classification and labelling of chemicals in accordance with the
Edition 1	Globally Harmonized System (GHS)

16. OTHER INFORMATION

- Ensure all national/local regulations are observed. - Ensure users and relevant persons understand the asphyxiation hazard Regularly check supplier's information sources for updated versions of SDS's 28/9/2022 v01 **Revision Date** Bibliography

Compressed Gas Association, Arlington, Virginia Handbook of Compressed Gases - 3rd Edition Matheson Gas Data Book - 6th Edition SANS 11014 - Safety data sheet for chemical products: Content and order of sections SANS 10234 - List of classification and labelling of chemicals in accordance with the Globally Harmonized System (GHS) SANS 10265 – Classification and Labelling of Dangerous Substances

EXCLUSION OF LIABILITY

Whilst AFROX made best endeavour to ensure that the information contained in this publication is accurate at the date of publication, AFROX does not accept liability for an inaccuracy or liability arising from the use of this information, or the use, application, adaptation or process of any products described herein.